



Plunger Pump Fittings Co., Ltd.



23034CDE4C3 Bearing 2D drawings and 3D CAD models

6.693 Inch | 170 Millimeter x 10.236 Inch | 260 Millimeter x 2.638 Inch | 67 Millimeter NSK 23034CDE4C3 Spherical Roller Bearings

Bearing No. 23034CDE4C3

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight	12.7
EAN	0029176031502
Product Group	B04311
Internal Clearance	C3-Loose
Mounting Method	Shaft Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Straight
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	Not Applicable
Inch - Metric	Metric
Long Description	170MM Straight Bore; 260MM Outside Diameter; 67MM Width; C3-Loose Clearance; Shaft Mount; Double Row of Spherical Roller Bearings; Steel Cage Material; Open Enclosure; Relubricatable
Category	Spherical Roller Bearing
UNSPSC	31171510



Plunger Pump Fittings Co., Ltd.

Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	http://www.nskamericas.com
Manufacturer Item Number	23034CDE4C3
Weight / LBS	12.7
D	10.236 Inch 260 Millimeter
B	2.638 Inch 67 Millimeter
Adapter Part Number	Not Applicable Inch Not Applicable Millimeter
d	6.693 Inch 170 Millimeter
bore diameter:	170 mm
maximum rpm:	1600 RPM
outside diameter:	260 mm
operating temperature range:	Maximum of +200 ° C
overall width:	4.3800 in
cage material:	Steel
bore type:	Straight
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C3
precision rating:	RBEC 1 (ISO Class Normal)
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole
outer ring width:	67 mm
dynamic load capacity:	640000 N
fillet radius:	2.1 mm
static load capacity:	1090000 N



Plunger Pump Fittings Co., Ltd.

series:

230