



Plunger Pump Fittings Co., Ltd.



23292 CAK/C08W507 Bearing 2D drawings and 3D CAD models

18.11 Inch | 460 Millimeter x 32.677 Inch | 830 Millimeter x 11.654 Inch | 296 Millimeter SKF 23292 CAK/C08W507 Spherical Roller Bearings

Bearing No. 23292 CAK/C08W507

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	743.298
EAN	7316576658211
Product Group	B04311
Internal Clearance	C0-Medium
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Bronze
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Adapter Part Number - Millimeter	H3292 (Specify bore)
Withdrawal Sleeve	AH3292 (Specify bore)
Withdrawal Nut	HM3196
Inch - Metric	Metric
Long Description	460MM Tapered Bore; 830MM Outside Diameter; 296MM Width; C0-Medium Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Bronze Cage



Plunger Pump Fittings Co., Ltd.

	Material; Open Enclosure; Relubricatable; Adapter Part
Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	http://www.skf.com
Weight / LBS	1,638.694
B	11.654 Inch 296 Millimeter
D	32.677 Inch 830 Millimeter
d	18.11 Inch 460 Millimeter
bore diameter:	460 mm
maximum rpm:	560 RPM
outside diameter:	830 mm
operating temperature range:	Maximum of +390 ° F
overall width:	296 mm
cage material:	Brass
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C1
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole
outer ring width:	296 mm
dynamic load capacity:	8500 kN



Plunger Pump Fittings Co., Ltd.

fillet radius:	6 mm
static load capacity:	13700 kN
series:	232